

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2072	405/36-41.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 18:19
L2	1730	137/78.1-80.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 18:19
L3	1176	239/69,70,99.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 18:19
L4	1489	702/176-181.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 18:19
L5	1679	700/12,14,18,282,283,284,306.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 18:19
L6	692	700/12,14,18.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 18:19
L7	18	L6 and 700/282-284.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 18:19
L8	174	assert\$4 near4 valve	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 18:19

L9	9	deassert\$4 near4 valve	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 18:19
L10	13	700/14.ccls. and 700/282-284. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 18:20
L11	10410	(switch or relay) with (valve) with ((open\$3 or clos\$3 or on or off or on/off) near3 (duration or interval or tim\$3 or period\$6 or cycle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 18:20
L12	18	L11 and 700/282-284.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 18:20
L13	6	("4567563" "5385297" "4847781" "3794992" "4726239" "4184789").PN.	US-PGPUB; USPAT	OR	ON	2005/07/18 18:20
L14	18	("5813606" "6452499" "6275500" "5740031" "6600971" "5424649" "5351437" "4937732" "5083886" "4524913" "4971248" "5183606" "4697166" "5471190" "5905442" "5875179" "4427968" "4250489"). PN.	US-PGPUB; USPAT	OR	ON	2005/07/18 18:20
L15	24	L13 or L14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 18:20
L16	238	((voltage near2 measur\$6) near4 (opamp or op-amp or (operational near2 amplifier) or transistor)). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 18:20
L17	340	((voltage near2 measur\$6) near4 (opamp or op-amp or (operational near2 amplifier) or transistor)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 18:20

L18	340	((voltage near2 measur\$6) near4 (opamp or op-amp or (operational near2 amplifier) or transistor)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 18:20
L19	27	("4250489" "4427968" "4524913" "4697166" "4937732" "4971248" "5083886" "5351437" "5424649" "5471190" "5813606" "5875179" "5905442").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 18:21
L20	13	L19 and (L13 or L14)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 18:21
L21	2	"20050090936".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 19:45
L22	1	L21 and (second\$4 or (control\$4 with (assert\$4 or deassert\$4 or on or off)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 19:46
L23	1	L21 and (second\$4 or (control\$4 with (assert\$4 or deassert\$4 or on or off or on/off)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 20:13
L24	1	L21 and (control\$4 with (assert\$4 or deassert\$4 or on or off or on/off))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 20:14
L25	1	L21 and (assert\$4 or deassert\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 20:27